Printing date 11.10.2016 Revision: 10.10.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- *Trade name: Color lead (Steel Grey) for Zensations MP
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- *Application of the substance / the mixture Drawing
- =1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

ZEBRA CO., LTD.

2-9 Higashi-gokencho Shinjuku-ku Tokyo JAPAN

Phone: +81-3-3268-1193 Fax: +81-3-3268-1197

Emergency telephone : +81-3-3268-1193

This phone number is available only during office hours:

9am to 5:30pm (Japan time)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- *Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

Information concerning particular hazards for human and environment:

The product has not to be labelled due to the calculation procedure of Regulation 1272/2008/EC.

*Classification system:

The classification is according to the latest edition of EU Regulation 1272/2008/EC, and extended by company and literature data.

- 2.2 Label elements
- * Labelling according to Regulation (EC) No 1272/2008 Not applicable
- Hazard pictograms Not applicable
- "Signal word Not applicable
- *Hazard-determining components of labelling: Not applicable
- · Hazard statements Not applicable
- *Precautionary statements Not applicable
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- *PBT: Not applicable
- *vPvB: Not applicable

SECTION 3: Composition/information on ingredients

- -3.2 Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

••••	48,0%
nesium distearate, pure	31,7%
affin waxes and Hydrocarbon waxes,microcryst.	7.0%
	olin stance with a Community workplace exposure limit gnesium distearate, pure raffin waxes and Hydrocarbon waxes,microcryst.

(Contd. on page 2)

Printing date 11.10.2016 Revision: 10.10.2016

Trade name:

		(Contd. of page 1)
CAS: 9004-32-4	Carboxymethylcellulose Sodium	6,0%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide substance with a Community workplace exposure limit	3,0%
CAS: 557-05-1 EINECS: 209-151-9	zinc distearate substance with a Community workplace exposure limit	3,0%
CAS: 147-14-8 EINECS: 205-685-1	29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper	0,5%
CAS: 1333-86-4 EINECS: 215-609-9	Carbon black substance with a Community workplace exposure limit	0,4%
CAS: 1328-53-6 EINECS: 215-524-7	polychloro copper phthalocyanine	0,4%

Remark:

All ingredients listed above are not classified according to EU Regulation 1272/2008/EC.

29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper (CAS No.147-14-8)

Synonym: Copper phthalocyanine

polychloro copper phthalocyanine (CAS No.1328-53-6)

Synonym: Pigment Green 7

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- *After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact:

Wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth with water.

Never give anything by mouth to an unconscious person.

Seek medical treatment.

- * 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- *4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- *5.1 Extinguishing media
- *Suitable extinguishing agents:

CO₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

SECTION 6: Accidental release measures

*6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

(Contd. on page 3)

(Contd. of page 2)

Safety data sheet Regulation(EC) No. 1907/2006, 1272/2008

Printing date 11.10.2016 Revision: 10.10.2016

Trade name:

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid contact with eyes. Avoid contact with skin.

*6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water,

• 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Avoid contact with skin and eyes.

For the general occupational hygienic measures refer to section 8.

- *Information about fire and explosion protection: Normal measures for preventive fire protection.
- •7.2 Conditions for safe storage, including any incompatibilities:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- •7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Long-term value: 3,5 mg/m³

· 8.1 Control	parameters
---------------	------------

Ingredients with limi	it values that require monitoring at the workplace:
1332-58-7 Kaolin (48	8,0%)
WEL (Great Britain)	Long-term value: 2 mg/m³
13463-67-7 titanium	dioxide (3,0%)
AGW (Germany)	Long-term value: 1,25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG
VME (France)	Long-term value: 10 mg/m³
WEL (Great Britain)	Long-term value: 10* 4** mg/m³ *total inhalable **respirable
557-05-1 zinc distear	rate (3,0%)
VME (France)	Long-term value: 10 mg/m³
WEL (Great Britain)	Short-term value: 20* mg/m³
	Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust
1333-86-4 Carbon bl	lack (0,4%)
VME (France)	Long-term value: 3,5 mg/m³
WEL (Great Britain)	Short-term value: 7 mg/m³

DNELs: Data not available

PNECs: Data not available

(Contd. on page 4)

Printing date 11.10.2016 Revision: 10.10.2016

Trade name:

(Contd. of page 3)

- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- -Based on composition shown in Section 3, the following messures are suggested for occupational safety measure:
- Appropriate engineering controls: See Section 7 for information about design of technical facilities.
- Personal protective equipment:
- *Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

"Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

9.1 Information on basic physical a	nd chemical properties	
Appearance:		
Form:	Solid	
Colour:	Stormy Grey	
Odour:	Odourless	
Odour threshold:	Data not available.	
pH-value:	Data not available	
Change in condition		
Melting point/Melting range:	Data not available	
Boiling point/Boiling range:	Data not available	
Freezing point:	Data not available	
Flash point:	Data not available	
Flammability (solid, gaseous):	Date not available.	
Auto-Ignition temperature:	Data not available	
Decomposition temperature:	Date not available.	

(Contd. on page 5)

Printing date 11.10.2016 Revision: 10.10.2016

Trade name:

	(Conto	d of page
Self-igniting:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Data not available.	
Upper:	Data not available.	
Oxidising properties	Data not available	
Vapour pressure:	Date not available	
Density:	Data not available.	
Relative density	Data not available.	
Vapour density	Date not available.	
Evaporation rate	Data not available	
Solubility in / Miscibility with		
water:	Data not available	
Partition coefficient (n-octano	l/water): Data not available:	
· Viscosity:		
Dynamic:	Data not available	
Kinematic:	Data not available	
· 9.2 Other information	No further relevant information available,	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No decomposition if used according to specification.
- · 10.2 Chemical stability Stable under recommended storage conditions.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- •10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

LD/LC50	values rele	vant for classification:	
13463-67	7 titanium	dioxide	
Oral	LD50	>20000 mg/kg (rat)	
Dermal	LD50	>10000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>6,82 mg/l (rat)	
9004-32-4	Carboxyn	ethylcellulose Sodium	
Oral	LD50	> 27000 mg/kg (mouse)	
		27000 mg/kg (rat)	
		> 27000 mg/kg (rabbit)	
Dermal	LD50	>2000 mg/kg (rabbit)	
557-05-1	zinc distear	ate	
Oral	LD50	> 10000 mg/kg (mouse)	
		> 10000 mg/kg (rat)	

Printing date 11.10,2016 Revision: 10.10.2016

Trade name!

- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- *Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- *Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- * Aquatic toxicity: No further relevant information available.
- *12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- *12.4 Mobility in soil No further relevant information available.
- *12.5 Results of PBT and vPvB assessment
- * PBT: Not applicable.
- "vPvB: Not applicable.
- *12.6 Other adverse effects No further relevant information available.
- 12.7 Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Smaller quantities can be disposed of with household waste.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number		
ADR,RID,ADN, IMDG, IATA	Not applicable	
: 14.2 UN proper shipping name		
ADR,RID,ADN, IMDG, IATA	Not applicable	
14.3 Transport hazard class(es)		
· ADR,RID,ADN, IMDG, IATA		
· Class	Not applicable	
· 14.4 Packing group		
ADR, RID, ADN, IMDG, IATA	Not applicable	

(Contd. on page 7)

Printing date 11.10.2016 Revision: 10.10.2016

Trade name:

	(Contd. of p
· 14.5 Environmental hazards	Not applicable.
· 14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.
14.8 Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	3

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

MAK (Gern	nan Maximum Workplace Concerntration)	
13463-67-7	titanium dioxide	3A
1333-86-4	Carbon black	3B

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- *National regulations:
- "Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water
- Other regulations, limitations and prohibitive regulations
- SVHC Candidate List of REACH Regulation Annex XIV Authorisation (20/6/2016)

None of the ingredients is listed.

REACH Regulation Annex XVII Restriction (24/6/2016) See Section 16 for information about restriction of use.

None of the ingredients is listed.

REACH Regulation Annex XIV Authorization List (14/8/2014)

None of the ingredients is listed.

*15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 8)

Page 8/8

(Contd. of page 7)

Safety data sheet Regulation(EC) No. 1907/2006, 1272/2008

Printing date 11.10.2016 Revision: 10.10.2016

Trade name:

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

End of document

EU-